COPY OF [redacted] NEED A 1/8/74/8

(1) Drugs, chemicals (psycho-chemicals)
- (a) New derivatives
- (b) Combinations
- (c) New techniques &c/uses

(2) Plants, shrubs, vines, fungi

(3) Natural toxins
- (a) Insect
- (b) Snake
- (c) Fish &c.

(4) Sound, suprasonics, vibrations

(5) Radio waves, Stuff, &c.

(6) Electronic fields (medical)
- (a) E E G
- (b) Electric shock
- (c) Electronarcosis

(7) Diet, dietary deficiencies, vitamin deficiencies, salty diet, calcium removal &c.

(8) Gases, aerosols, hypospray, mists, dusts, vapors

(9) Oxygen deprivation

(10) Pressure changes, pressurized areas

(11) Hypnosis, suggestion
- (a) Hypno-analysis
- (b) Narco-analysis
- (c) Narco-hypnosis

(12) Extra-Sensory Perception

(13) Psychological harassment
- (a) Sounds

(14) Solitary confinement

(15) Nerve gases, cholinesterase study

(16) Micro-organisms, bacteria
- Artificial fevers

(17) Histamine

(18) Glandular disturbances (artificial)

(19) Lobotomies &c.

(20) Light, blinking light, glare

(21) Colors (?)

(21) Special weapons
- (a) Automatic injections
- (b) Gas dischargers
- (c) Hypospray

(22) Cover, special cover techniques

(23) Technical aids
- (a) Photography
- (b) Monitoring systems, recorders
- (c) Personal intercom. devices
- (d) False devices
- (e) Equipment, tools, general

(24) Polygraph, uses in connection with

A/B,1, 44/9

A

////	///	//	/
[illegible] of brain's temporal lobes [illegible] current or radiant energy, to produce [illegible] effects	Tactile inhibition of [illegible] or other brain center, by radiant energy, to produce [illegible] effect	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible] — especially [illegible] particle without [illegible] injection	[illegible]; other [illegible]
[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	Rhomedicerone [illegible]
[illegible]		[illegible]	[illegible]
[illegible]		[illegible]	[illegible]

			Chlorpromazine): Tetra-ethylammonium, Hexaneth-onium, Famine, Ilidar, &c
Tranquilizers (Sandoxin & Serpasil)	Kyanesin to reduce anxiety, alone or with other more potent drugs	Drugs simulating lobotomy effect (Reorganin-?,	Surgical lobotomies
Hypnosis: Improvements in hypnotizability — by drugs, hyperventilation (loss of CO_2), posture, various rates of interrupted sound (metronome), &c; progress in post-hypnotic suggestions	Deconditioning: probably by some not yet sure or safe brain-shock; possibly by post-hypn. suggestion	Brain-washing techniques	Extra-Sensory Perception

I.

PROJECT'S INTEREST in AIDS-to-INTERROGATION (columns in descending order of importance for added study, as seen by researcher

A

++++ LOST INTEREST	+++ LOW TEN. PAYAGE	++ AVERAGE INTEREST	+ LOST TEN. PAYAGE
Disturbance of brain's temporal lobe by some current or radiant energy, to produce depersonalization & other LSD25-like effects	Possible inhibition of amygdaloid induction (recent special technique) or other brain center, by radiant energy, to produce taming effect		Possible lobotomy (recent special technique) in cat, rat, or drugs (for general lobotomy, only by Avedon, Smith or Epps).
Reserpine (Sandizin or Serpasil) Reserpine + an antihistamin	Meprobamate to reduce anxiety, alone drugs simulating lobotomy effect or with other depressant drugs		Surgical lobotomies
	Chlorpromazine (Thorazine)	Curare: paralyzing or other effects	Barbiturate-stimulating drugs (other than chlorpr.) Metrazol, Leucotomy, etc
Lysergic acid diethylamid (LSD25)			

Ⓐ A/B, 1, 44/10

[illegible] OR PHYSICAL [redacted]

APPLIED ON SUBJECT

	Reduce Anxiety	Stimulate & Promote Suggestibility & Sensitize to Convulsion & Confuse	Attempt to Convulse may Produce Epilept.Convulsion followed usually by Confusion OR simply Confusion	[redacted]
Reduced Anxiety may make Subject unguarded Stimulation disarms, makes S. overconfident Suggestibility makes compliant & revealing Epileptiform Convulsion is accompanied by unconsciousness, & followed at times by momentary candor; always by Amnesia for the unconscious period, & Confusion &/OR Excited OR Drowsy State Confusion induces errors & inconsistencies Sleep allows use of objectionable Inject., Elec-narcosis; indirect Arousal to Suggestibility				
Chemical Routes	Oral Intravenous	Oral Inhalation Subcutaneous Intravenous		
Physical Means			Sound Light Electric Field	
HYPNOSIS omitted here, except *				
Tetraethylammonium				
Oblivon				

(B)

Subject to be mitting as possible

Drug can be

disguised, but detectable or suspected by

less (as Oblivon)

OR

taste (as Marijuana)

OR

sense of

exhilaration (as Dexedrin)

OR

drowsiness (as Barbiturates).

Flickering light's purpose can be somewhat disguised by simulated ventilator-fan

* Except Post-hypnotic Suggestion, no instant Sleep-Producer is available

Partially aroused Subject would be aware of Electro-narcosis instrumentation, ? would recall it after recovering consciousness

Electric Shock from drugged Sleep, would be experimental; effects uncertain

Mescalin

Cannabinol/Hashish

Heroin ?

+ ?

Scopo-caloralose

Isoniazid?

Flicker

Methedrin

OR Dexedrin

Flicker

Sod. Amytal

+Methedrin

Flicker

Yohimbin

			ORAL	INTRA-VENOUS	ORAL	INHALATION	SUBCUTANEOUS	INTRA-VENOUS	SOUND	LIGHT	ELEC. FIELD
		Ultrasonics Tonectomy (from drugged Sleep) might cause conscious distress & aches									
	(c)						Scopolamin +Hor. OR Ner.				
					Isoniazid					Flicker	
					Metrazol					Flicker	
		but probably does not identify the drug		Kyanesin							
Subject to be fitting,											
		& does identify the drug			Alcohol +Metandrin ?						

INTERVENTIONS, TOWARD IMPROVING THE PRODUCT OF INTERROGATION,

AWAKE	APPLIED ON SUBJECT ASLEEP					
				Reduce Anxiety (long-term)	Sustain Drug's Effects	Antagonize an desired Effect
			to Suggestibility,			
				Produce Epil.Convulsion foll.usually by Confusion		
Confuse					& Confuse	
	Produce Sleep		Arouse partially			
	Oral				(route)	(route)
		Intra-venous	Intra-venous	Intra-venous		
			Electro-narcosis	Elec. Shock		
(other rays?)					Ultra-sonics	

INDEF. W.OR W/O. POLYGR.	ANESTHA

E

Dormison OR Oblivon	Methedrin OR Dexedrin	OR Elec narcosis		an analgesic?
Sod. Naconal OR Evipal	Methedrin OR Dexedrin	OR Elec narcosis		an analgesic?
Dormison			Shock	Succinyl(frac-

(F)

	Lod. Amytal OR Dormison						Ultrasen. Tonectomy	an analgesic
[illegible]	ORAL	INTRA-VENOUS	INTRA-VENOUS	ELECTRO-NARCOSIS	INTRA-VENOUS	ELEC. S OCK	ULTRA-SONICS	(route)
								2G. L.-S.? (nausea) Succinyl (fracture)
	Lod. Amytal Pentothal		Metheorin	OR Elec. narcosis				an analgesic?
	Surital					Shock		Succinyl (Fracture)
	Pentothal OR Surital						Ultrasen. Topectomy	an analgesic